print date : 04/18/19 E345-000 (page 1)

SECTION 1

manufacturer : SANDSTROM PRODUCTS COMPANY

address : 224 South Main Street

: Port Byron, IL 61275

: USA

telephone# : (309) 523-2121 emergency# : (800) 424-9300

: (703) 527-3887

mfg. code id : E345-000 Revision level : 2-10/01/18

trade name : FAST CURE FRICTION REDUCING COATING - PART A

Recommended use of chemical: EPOXY

Restrictions on use: Do not use where there is a potential for contact with food.

SECTION 2 HAZARD IDENTIFICATION



HAZARD CLASSIFICATION:

WARNING!

SKIN SENSITIZER: CATEGORY 1 SKIN IRRITANT: CATEGORY 2 EYE IRRITANT: CATEGORY 2A

HAZARD & PRECAUTIONARY STATEMENTS:

FLAMMABILITY

NOT CLASSIFIED AS A HAZARDOUS SUBSTANCE OF MIXTURE WITH FLAMMABILITY.

EYE CONTACT

H319: CAUSES SERIOUS EYE IRRITATION. P280: WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE PROTECTION/ FACE PROTECT ION. P264: WASH HANDS AND EXPOSED BODY PARTS THOROUGHLY AFTER HANDLING. P305, P351, P338: IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING. P337, P313: IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ ATTENTION.

SKIN CONTACT

H315: CAUSES SKIN IRRITATION. H317: MAY CAUSE AN ALLERGIC SKIN REACTION. P264: WASH HANDS AND EXPOSED BODY PARTS THOROUGHLY AFTER HANDLING. P280: WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE PROTECTION/ FACE PROTECT ION. P261: AVOID BREATHING DUST/ FUME/GAS/ MIST/ VAPOR/ SPRAY. P272: CONTAMINATED WORK CLOTHING MUST NOT BE ALLOWED OUT OF THE WORKPLACE. P302,P352: IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER. P362: TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE REUSE. P363: WASH CONTAMINATED CLOTHING BEFORE REUSE. P333,P313: IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ ATTENTION. P501: DISPOSE OF CONTENTS/ CONTAINER IN ACCORDANCE WITH LOCAL/ REGIONAL/ NATIONAL/ INTERNATIONAL REGULATIONS.

INHALATION

NOT CLASSIFIED AS A HAZARDOUS SUBSTANCE OR MIXTURE FOR INHALATION.

INGESTION

NOT CLASSIFIED AS A HAZARDOUS SUBSTANCE OR MIXTURE FOR INGESTION.

HAZARDS NOT CLASSIFIED

NO DATA AVAILABLE.

print date : 04/18/19 E345-000 (page 2)

OTHER HEALTH EFFECTS

NOT CLASSIFIED AS A HAZARDOUS SUBSTANCE OR MIXTURE WITH OTHER HEALTH EFFECTS.

OTHER HAZARDS:

USE ONLY IN A WELL-VENTILATED AREA OR IN A HOOD WHERE NO FLAME OR OTHER IGNITION SOURCES ARE PRESENT.DO NOT USE PRODUCT IN FOOD-PROCESSING OR FOOD-HANDLING EQUIPMENT OR ON SURFACES THAT MAY CONTACT FOOD. DO NOT ALLOW PRODUCT TO CONTAMINATE FOODSTUFFS. DO NOT EAT, DRINK OR SMOKE WHEN USING PRODUCT. WASHHANDS THOROUGHLY AFTER HANDLING. DO NOT BREATHE VAPORS. WEAR SUITABLE EYE AND SKIN PROTECTION. KEEP CONTAINER CLOSED WHEN NOT IN USE. PROTECT FROM TEMPERATURE EXTREMES. IN CASE OF SPILL OR LEAK, REMOVE IGNITION SOURCES AND VENTILATE AREA.

print date : 04/18/19 E345-000 (page 3)

SECTION 3

vapor pressure CAS# % by wt. SARA (mm Hg @ 20 C) (@ 25 C) no. component NO 25068-38-6 55 - 60 BISPHENOL A EPOXY RESIN N/A N/A ALKYL GLYCIDYL ETHER 68609-97-2 10 - 15 NO .10 N/A TRIMETHYLOLPROPANE TRIACRYLATE NO 15625-89-5 10 - 15 .<1 N/A (N/A = not applicable)

SECTION 4 FIRST AID MEASURES

EYE CONTACT

IMMEDIATELY FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES. SEEK MEDICAL ATTENTION IF ANY SYMPTOMS PERSIST.

SKIN CONTACT

REMOVE CONTAMINATED CLOTHING AND SHOES. WIPE EXCESS FROM SKIN AND FLUSH WITH WATER USING SOAP IF AVAILABLE. SEEK MEDICAL ATTENTION IF IRRITATION OCCURS. DO NOT REUSE CLOTHING UNTIL THOROUGHLY DECONTAMINATED. CONTAMINATED LEATHER ARTICLES CANNOT BE DECONTAMINATED AND SHOULD BE DISPOSED.

INHALATION

REMOVE VICTIM TO FRESH AIR AND TREAT SYMPTOMATICALLY. PROVIDE OXYGEN IF BREATHING IS DIFFICULT. GIVE ARTIFICIAL RESPIRATION IF THE VICTIM IS NOT BREATHING. SEEK PROMPT MEDICAL ATTENTION.

INGESTION

DILUTE WITH TWO GLASSES OF WATER UNLESS THE VICTIM IS UNCONSCIOUS OR VERY DROWSY. INDUCE VOMITING BY GIVING TWO TABLESPOONS OF IPECAC OR BY TOUCHING A FINGER TO THE BACK OF THE VICTIM'S THROAT. KEEP THE VICTIM'S HEAD BELOW THE HIPS TO PREVENT ASPIRATION INTO THE LUNGS. CONSULT A PHYSICIAN, HOSPITAL OR POISON CONTROL CENTER AND/OR TRANSPORT TO AN EMERGENCY FACILITY IMMEDIATELY.

SECTION 5 FIRE FIGHTING MEASURES

 ${\tt flammability\ classification\ -\ OSHA\ :\ NOT\ APPLICABLE}$

- DOT : NOT REGULATED

EXTINGUISHING MEDIA

NOT APPLICABLE

SPECIAL FIRE FIGHTING PROCEDURES AND PRECAUTIONS NOT APPLICABLE

UNUSUAL FIRE AND EXPLOSION HAZARDS

NOT APPLICABLE

print date : 04/18/19 E345-000 (page 4)

SECTION 6 ACCIDENTAL RELEASE MEASURES

SPILL OR LEAK PROCEDURES

LARGE SPILLS >> EVACUATE THE HAZARD AREA OF UNPROTECTED PERSONNEL. WEAR APPROPRIATE RESPIRATOR AND PROTECTIVE CLOTHING. SHUT OFF SOURCE OF LEAK ONLY IF SAFE TO DO SO. DIKE AND CONTAIN. IF VAPOR CLOUD FORMS, WATER FOG MAY BE USED TO SUPPRESS; CONTAIN RUN-OFF. REMOVE WITH VACUUM TRUCKS OR PUMP TO STORAGE/SALVAGE VESSELS. SOAK UP RESIDUE WITH AN ABSORBENT SUCH AS CLAY, SAND OR OTHER SUITABLE MATERIAL; PLACE IN NON-LEAKING CONTAINERS FOR PROPER DISPOSAL. FLUSH AREA WITH WATER TO REMOVE TRACE RESIDUE; DISPOSE OF FLUSH SOLUTIONS AS ABOVE. SMALL SPILLS >> TAKE UP WITH AN ABSORBENT MATERIAL AND PLACE IN NON-LEAKING CONTAINERS; SEAL TIGHTLY FOR PROPER DISPOSAL.

SECTION 7 HANDLING AND STORAGE

FLAMMABILITY

NOT CLASSIFIED AS A HAZARDOUS SUBSTANCE OF MIXTURE WITH FLAMMABILITY.

SECTION 8 EMPLOYEE PROTECTION

RESPIRATORY PROTECTION

AVOID PROLONGED OR REPEATED BREATHING OF VAPORS/MIST. IF EXPOSURE EXCEEDS TLV USE A NIOSH-APPROVED POSITIVE PRESSURE SUPPLIED AIR RESPIRATOR TO PREVENT OVER EXPOSURE.

PROTECTIVE CLOTHING

AVOID CONTACT WITH EYES. WEAR GOGGLES IF THERE IS A LIKELIHOOD OF CONTACT WITH EYES. DO NOT GET ON SKIN OR ON CLOTHING.

ADDITIONAL PROTECTIVE MEASURES

USE VENTILATION AS REQUIRED TO CONTROL VAPOR/DUST CONCENTRATIONS. EYE WASH FOUNTAINS AND SAFETY SHOWERS SHOULD BE AVAILABLE FOR USE IN AN EMERGENCY.

SECTION 9 PHYSICAL PROPERTIES

% volatile by volume : not applicable weight per gallon : 10.03 +/- .2

% volatile by weight : not applicable

PHYSICAL STATE : LIQUID FLAMMABILITY (SOLID, GAS: NOT AVAILABLE

COLOR : (B) Black FLAMMABILITY/EXPLOSIVE LIMITS: NOT AVAILABLE

ODOR : ETHER VAPOR PRESSURE : NOT AVAILABLE

ODOR THRESHOLD : NOT AVAILABLE VAPOR DENSITY : NOT AVAILABLE

ph : N/A RELATIVE DENSITY : 1.2040

MELTING/FREEZING POINT: NOT AVAILABLE SOLUBILITY : NOT AVAILABLE

INITIAL BOILING POINT : NOT AVAILABLE PARTITION COEFFICIENT : NOT RELEVANT
BOILING RANGE : NOT AVAILABLE AUTO-IGNITION TEMPERATURE: NOT AVAILABLE

EVAPORATION RANGE : NOT AVAILABLE DECOMPOSITION TEMPERATURE : NOT AVAILABLE

VISCOSITY (AT 77F) : 2-5 K,#4@50

flash point : NOT APPLICABLE

print date : 04/18/19 E345-000 (page 5)

SECTION 10 STABILITY AND REACTIVITY

STABILITY : STABLE

HAZARDOUS POLYMERIZATION : MAY OCCUR

CONDITIONS AND MATERIALS TO AVOID

BASED ON THE PRESENCE OF COMPONENTS 1, 2 AND 3 AVOID OXIDIZING MATERIALS. BASED ON THE PRESENCE OF COMPONENTS 1 AND 2 AVOID STRONG ACIDS. BASED ON THE PRESENCE OF COMPONENTS 1 AND 3 AVOID STRONG ALKALIES. BASED ON THE PRESENCE OF COMPONENT 3 AVOID ALKALIES AT HIGH TEMPERATURE. BASED ON THE PRESENCE OF COMPONENT 3 AVOID LEAD, COPPER, AND THEIR ALLOYS. BASED ON THE PRESENCE OF COMPONENT 3 AVOID HEAT, SPARKS, AND FLAME

HAZARDOUS DECOMPOSITION PRODUCTS

CARBON DIOXIDE. CARBON MONOXIDE AND UNIDENTIFIED ORGANIC COMPOUNDS MAY BE FORMED DURING COMBUSTION.

SECTION 11 TOXICOLOGICAL INFORMATION

DEC		TOXICOLOGICAL INFORMATION			
no.	(OSHA) PEL/TWA	PEL/CEILING	PEL/STEL	skin	
1	n/E	N/E	N/E	N/E	
2	N/E	N/E	N/E	N/E	
3	N/E	N/E	N/E	N/E	
no.	(ACGIH) TLV/TWA	TLV/CEILING	TLV/STEL	skin	
1	N/E	n/e	N/E	n/e	
2	N/E	N/E	N/E	N/E	
3	N/E	N/E	N/E	N/E	

>> The dried film of this product may become a dust nuisance when removed by sanding or grinding. OSHA recommends a PEL/TWA of 15 mg/m3 for total dust and 5 mg/m3 for the respirable fraction. ACGIH recommends a TLV/TWA of 10 mg/m3 for total dust.

>> (SKIN) absorption may contribute to the overall exposure to this material. Take appropriate measures to prevent skin contact.

(N/E = not established)

>> None of the components of this product are recognized as carcinogenic.

SECTION 12 ECOLOGICAL INFORMATION

CAS# Component

025068-38-6 BISPHENOL A EPOXY RESIN

Harmful to Aquatic Life : Y Not Harmful to Aquatic Life: N May be Harmful to Aquatic: Y

068609-97-2 ALKYL GLYCIDYL ETHER

Harmful to Aquatic Life : N Not Harmful to Aquatic Life: Y May be Harmful to Aquatic: N

015625-89-5 TRIMETHYLOLPROPANE TRIACRYLATE

Harmful to Aquatic Life : N Not Harmful to Aquatic Life: Y May be Harmful to Aquatic: N

SECTION 13 DISPOSAL CONSIDERATIONS

WASTE DISPOSAL

WASTE CHARACTERIZATIONS AND COMPLIANCE WITH APPLICABLE LAWS ARE THE SOLE RESPONSIBILITY OF THE END USER. ALL DISPOSAL PRACTICES USED FOR THIS PRODUCT AND ITS CONTAINER(S) MUST BE IN COMPLIANCE WITH ALL FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS. THE INFORMATION PRESENTED IN THIS SDS PERTAINS ONLY TO THE PRODUCT AS SHIPPED.

print date : 04/18/19 E345-000 (page 6) SECTION 14 TRANSPORTATION INFORMATION Land Transport USDOT PAINT, NOI Proper shipping name: NOS Components Hazard class: ID-number: Packing group: Aquatic Toxicity: YES ______ Sea Transport IMDG Proper shipping name: ENVIROMENTALLY HAZ SUBSTANCE NOS NOS Components : BISPHENOL A EPOXY RESIN Hazard class: ID-number: UN3082 Packing group: III Aquatic Toxicity: YES Air Transport IATA/ICAO Proper shipping name: ENVIROMENTALLY HAZ SUBSTANCE NOS NOS Components BISPHENOL A EPOXY RESIN Hazard class: ID-number: UN3082 Packing group: III Aquatic Toxicity: YES SECTION 15 REGULATORY INFORMATION CAS# Component 025068-38-6 BISPHENOL A EPOXY RESIN US TSCA Inventory : YES EC Canada Domestic Substance List : YES : YES Philippines : YES Japan Korea : YES China : YES Australia : YES 068609-97-2 ALKYL GLYCIDYL ETHER US TSCA Inventory : YES Canada Domestic Substance List : YES EC : YES Philippines : YES Japan : YES Korea : YES : YES Australia : YES 015625-89-5 TRIMETHYLOLPROPANE TRIACRYLATE US TSCA Inventory : YES Canada Domestic Substance List : YES EC : YES

: YES

: YES

Korea

: YES

Philippines

China

: UNKNOWN

Japan

: UNKNOWN Australia

print date : 04/18/19 E345-000 (page 7)

SECTION 15		REGULATORY INFORMATION CONTINUED		ΞD
no.	component	CAS#	SARA	
1	BISPHENOL A EPOXY RESIN	25068-38-6	NO	
2	ALKYL GLYCIDYL ETHER	68609-97-2	NO	
3	TRIMETHYLOLPROPANE TRIACRYLATE	15625-89-5	NO	

SECTION 16		OTHER INFORMATION		

- H M I S -

| HEALTH : 2 | | FLAMMABILITY : 2 | | REACTIVITY : 0 | | PERSONAL PROTECT:: X |

(X = ask your supervisor for specialized handling directions)

CONTAINERS CAN CONTAIN HAZARDOUS PRODUCT RESIDUES EVEN WHEN EMPTY. WASH WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING, OR USING TOILET FACILITIES.

THE INFORMATION CONTAINED HEREIN IS BASED ON THE DATA AVAILABLE TO US AND IS BELIEVED TO BE CORRECT. HOWEVER, WE MAKE

NO WARRANTY, EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA OR THE RESULTS TO BE OBTAINED FROM THE USE

THEREOF. WE ASSUME NO RESPONSIBILITY FOR INJURY FROM THE USE OF THE PRODUCT DESCRIBED HEREIN.

print date : 04/18/19 E345-B01 (page 1)

SECTION 1

manufacturer : SANDSTROM PRODUCTS COMPANY address : 224 South Main Street

: Port Byron, IL 61275

: USA

telephone# : (309) 523-2121 emergency# : (800) 424-9300

: (703) 527-3887

mfg. code id : E345-B01 Revision level : 2-10/01/18

trade name : FAST CURE FRICTION REDUCING COATING - PART B

Recommended use of chemical: AMINE

Restrictions on use: Do not use where there is a potential for contact with food.

SECTION 2

HAZARD IDENTIFICATION









HAZARD CLASSIFICATION:

DANGER!

SKIN CORROSION: CATEGORY 1
EYE DAMAGE: CATEGORY 1

ACUTE TOXICITY: CATEGORY 3 (DERMAL)

ACUTE TOXICITY: CATEGORY 4 (ORAL)

SKIN SENSITIZER: CATEGORY 1

REPRODUCTIVE TOXICITY: CATEGORY 2

STOT RE: CATEGORY 1

HAZARD & PRECAUTIONARY STATEMENTS:

FLAMMABILITY

NOT CLASSIFIED AS A HAZARDOUS SUBSTANCE OF MIXTURE WITH FLAMMABILITY.

EYE CONTACT

H318: CAUSES SERIOUS EYE DAMAGE. P280: WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE PROTECTION/ FACE PROTECT ION.
P305,P351,P338: IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO.
CONTINUE RINSING. P310: IMMEDIATELY CALL A POISON CENTER OR DOCTOR/ PHYSICIAN.

SKIN CONTACT

H311: TOXIC IN CONTACT WITH SKIN. H314: CAUSES SEVERE SKIN BURNS AND EYE DAMAGE. H317: MAY CAUSE AN ALLERGIC SKIN REACTION. P264: WASH HANDS AND EXPOSED BODY PARTS THOROUGHLY AFTER HANDLING. P280: WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE PROTECTION/ FACE PROTECT ION. P260: DO NOT BREATHE DUST/ FUME/ GAS/ MIST/ VAPOR/ SPRAY. P272: CONTAMINATED WORK CLOTHING MUST NOT BE ALLOWED OUT OF THE WORKPLACE. P310: IMMEDIATELY CALL A POISON CENTER OR DOCTOR/ PHYSICIAN. P361,P362: REMOVE/ TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING AND WASH BEFORE REUSE. P301,P330,P331: IF SWALLOWED: RINSE MOUTH. DO NOT INDUCE VOMITING. P303,P361,P353: IF ON SKIN (OR HAIR): REMOVE/ TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/SHOWER. P363: WASH CONTAMINATED CLOTHING BEFORE REUSE. P304,P340: IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP COMFORTABLE FOR BREATHING. P305,P351,P338: IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING. P405: STORE LOCKED UP. P501: DISPOSE OF CONTENTS/ CONTAINER IN ACCORDANCE WITH LOCAL/ REGIONAL/ NATIONAL/ INTERNATIONAL REGULATIONS.

INHALATION

print date : 04/18/19 E345-B01 (page 2)

NOT CLASSIFIED AS A HAZARDOUS SUBSTANCE OR MIXTURE FOR INHALATION.

INGESTION

H302: HARMFUL IF SWALLOWED. P264: WASH HANDS AND EXPOSED BODY PARTS THOROUGHLY AFTER HANDLING. P270: DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT. P330: RINSE MOUTH. P301+P312: IF SWALLOWED: CALL A POISON CENTER OR DOCTOR/PHYSICIAN IF YOU FEEL UNWELL. P501: DISPOSE OF CONTENTS/ CONTAINER IN ACCORDANCE WITH LOCAL/ REGIONAL/ NATION AL/ INTERNATIONAL REGULATIONS.

HAZARDS NOT CLASSIFIED

NO DATA AVAILABLE.

OTHER HEALTH EFFECTS

H361: SUSPECTED OF DAMAGING FERTILITY OR THE UNBORN CHILD. H372: CAUSES DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE. P201: OBTAIN SPECIAL INSTRUCTIONS BEFORE USE. P202: DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD. P280: WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE PROTECTION/ FACE PROTECT ION. P260: DO NOT BREATH DUST/ FUME/ GAS/ MIST/ VAPORS/ SPRAY. P264: WASH HANDS AND EXPOSED BODY PARTS THOROUGHLY AFTER HANDLING. P270: DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT. P308+P313: IF EXPOSED OR CONCERNED: GET MEDICAL ADVICE/ ATTENTION. P314: GET MEDICAL ADVICE/ ATTENTION IF YOU FEEL UNWELL. P405: STORE LOCKED UP. P501: DISPOSE OF CONTENTS/ CONTAINER IN ACCORDANCE WITH LOCAL/ REGIONAL/ NATION AL/ INTERNATIONAL REGULATIONS.

OTHER HAZARDS:

USE ONLY IN A WELL-VENTILATED AREA OR IN A HOOD WHERE NO FLAME OR OTHER IGNITION SOURCES ARE PRESENT.DO NOT USE PRODUCT IN FOOD-PROCESSING OR FOOD-HANDLING EQUIPMENT OR ON SURFACES THAT MAY CONTACT FOOD. DO NOT ALLOW PRODUCT TO CONTAMINATE FOODSTUFFS. DO NOT EAT, DRINK OR SMOKE WHEN USING PRODUCT. WASHHANDS THOROUGHLY AFTER HANDLING. DO NOT BREATHE VAPORS. WEAR SUITABLE EYE AND SKIN PROTECTION. KEEP CONTAINER CLOSED WHEN NOT IN USE. PROTECT FROM TEMPERATURE EXTREMES. IN CASE OF SPILL OR LEAK, REMOVE IGNITION SOURCES AND VENTILATE AREA.

print date : 04/18/19 E345-B01 (page 3)

SECTION 3

vapor pressure component CAS# % by wt. SARA (@ 25 C) no. (mm Hg @ 20 C) -----NO N-AMINOETHYLPIPERAZINE 20 - 25 140-31-8 . 05 1.00 50 - 55 STYRENATED PHENOL 61788-44-1 NO N/A N/A 5 - 10 2,4,6-TRI(DIMETHYLAMINOMETHYL)PHENOL 90-72-2 NO .01 N/A (N/A = not applicable)

SECTION 4 FIRST AID MEASURES

EYE CONTACT

IMMEDIATELY FLUSH EYES WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES WHILE HOLDING EYELIDS OPEN. SEEK PROMPT MEDICAL ATTENTION.

SKIN CONTACT

REMOVE CONTAMINATED CLOTHING AND SHOES. WIPE EXCESS FROM SKIN AND FLUSH WITH WATER USING SOAP IF AVAILABLE. SEEK MEDICAL ATTENTION IF IRRITATION OCCURS. DO NOT REUSE CLOTHING UNTIL THOROUGHLY DECONTAMINATED. CONTAMINATED LEATHER ARTICLES CANNOT BE DECONTAMINATED AND SHOULD BE DISPOSED.

INHALATION

REMOVE VICTIM TO FRESH AIR AND TREAT SYMPTOMATICALLY. PROVIDE OXYGEN IF BREATHING IS DIFFICULT. GIVE ARTIFICIAL RESPIRATION IF THE VICTIM IS NOT BREATHING. SEEK PROMPT MEDICAL ATTENTION.

INGESTION

DO NOT INDUCE VOMITING. IF VOMITING SPONTANEOUSLY OCCURS, KEEP THE VICTIM'S HEAD BELOW THE HIPS TO PREVENT ASPIRATION INTO THE LUNGS. SINCE ASPIRATION INTO THE LUNGS CAN CAUSE VERY SERIOUS, PERMANENT DAMAGE, THE DECISION OF WHETHER TO INDUCE VOMITING OR NOT SHOULD BE MADE BY A PHYSICIAN. DANGER FROM LUNG ASPIRATION MUST BE WEIGHED AGAINST TOXICITY WHEN CONSIDERING EMPTYING THE STOMACH. CONSULT A PHYSICIAN, HOSPITAL OR POISON CONTROL CENTER AND/OR TRANSPORT TO AN EMERGENCY FACILITY IMMEDIATELY.

SECTION 5 FIRE FIGHTING MEASURES

flammability classification - OSHA : NOT APPLICABLE
- DOT : NOT REGULATED

EXTINGUISHING MEDIA

NOT APPLICABLE

SPECIAL FIRE FIGHTING PROCEDURES AND PRECAUTIONS

NOT APPLICABLE

UNUSUAL FIRE AND EXPLOSION HAZARDS

NOT APPLICABLE

print date : 04/18/19 E345-B01 (page 4)

SECTION 6 ACCIDENTAL RELEASE MEASURES

_____ SPILL OR LEAK PROCEDURES

LARGE SPILLS >> EVACUATE THE HAZARD AREA OF UNPROTECTED PERSONNEL, WEAR APPROPRIATE RESPIRATOR AND PROTECTIVE CLOTHING. SHUT OFF SOURCE OF LEAK ONLY IF SAFE TO DO SO. DIKE AND CONTAIN. IF VAPOR CLOUD FORMS, WATER FOG MAY BE USED TO SUPPRESS; CONTAIN RUN-OFF. REMOVE WITH VACUUM TRUCKS OR PUMP TO STORAGE/SALVAGE VESSELS. SOAK UP RESIDUE WITH AN ABSORBENT SUCH AS CLAY, SAND OR OTHER SUITABLE MATERIAL; PLACE IN NON-LEAKING CONTAINERS FOR PROPER DISPOSAL. FLUSH AREA WITH WATER TO REMOVE TRACE RESIDUE; DISPOSE OF FLUSH SOLUTIONS AS ABOVE. SMALL SPILLS >> TAKE UP WITH AN ABSORBENT MATERIAL AND PLACE IN NON-LEAKING CONTAINERS; SEAL TIGHTLY

SECTION 7 HANDLING AND STORAGE

FLAMMABILITY

FOR PROPER DISPOSAL.

NOT CLASSIFIED AS A HAZARDOUS SUBSTANCE OF MIXTURE WITH FLAMMABILITY.

SECTION 8 EMPLOYEE PROTECTION

RESPIRATORY PROTECTION

AVOID PROLONGED OR REPEATED BREATHING OF VAPORS/MIST. IF EXPOSURE EXCEEDS TLV USE A NIOSH-APPROVED POSITIVE PRESSURE SUPPLIED AIR RESPIRATOR TO PREVENT OVER EXPOSURE.

PROTECTIVE CLOTHING

AVOID CONTACT WITH EYES. WEAR GOGGLES IF THERE IS A LIKELIHOOD OF CONTACT WITH EYES. DO NOT GET ON SKIN OR ON CLOTHING.

ADDITIONAL PROTECTIVE MEASURES

USE VENTILATION AS REQUIRED TO CONTROL VAPOR/DUST CONCENTRATIONS. EYE WASH FOUNTAINS AND SAFETY SHOWERS SHOULD BE AVAILABLE FOR USE IN AN EMERGENCY.

SECTION 9 PHYSICAL PROPERTIES

% volatile by volume : not applicable weight per gallon : 9.06 +/-.2

% volatile by weight : not applicable

PHYSICAL STATE : LIQUID FLAMMABILITY (SOLID, GAS: NOT AVAILABLE FLAMMABILITY/EXPLOSIVE LIMITS: NOT AVAILABLE COLOR : (B) Black ODOR : AMINE VAPOR PRESSURE : NOT AVAILABLE ODOR THRESHOLD : NOT AVAILABLE VAPOR DENSITY : NOT AVAILABLE

: N/A RELATIVE DENSITY : 1.0876

MELTING/FREEZING POINT: NOT AVAILABLE SOLUBILITY : NOT AVAILABLE INITIAL BOILING POINT : NOT AVAILABLE PARTITION COEFFICIENT : NOT RELEVANT BOILING RANGE : NOT AVAILABLE AUTO-IGNITION TEMPERATURE: NOT AVAILABLE EVAPORATION RANGE : NOT AVAILABLE DECOMPOSITION TEMPERATURE : NOT AVAILABLE

VISCOSITY (AT 77F) : 40-60K, #4@2.5

flash point : NOT APPLICABLE

SECTION 10 STABILITY AND REACTIVITY

HAZARDOUS POLYMERIZATION : WILL NOT OCCUR

CONDITIONS AND MATERIALS TO AVOID

STABILITY : STABLE

BASED ON THE PRESENCE OF COMPONENT 1 AVOID STRONG ACIDS.

print date : 04/18/19 E345-B01 (page 5)

HAZARDOUS DECOMPOSITION PRODUCTS

CARBON DIOXIDE, CARBON MONOXIDE AND UNIDENTIFIED ORGANIC COMPOUNDS MAY BE FORMED DURING COMBUSTION.

====					
SECTION 11		TOXICOLOGICAL INFORMATION			
no.	(OSHA) PEL/TWA	PEL/CEILING	PEL/STEL	skin	
1	N/E	N/E	N/E	N/E	
2	N/E	N/E	N/E	N/E	
3	N/E	N/E	N/E	N/E	
no.	(ACGIH) TLV/TWA	TLV/CEILING	TLV/STEL	skin	
1	N/E	N/E	N/E	N/E	
2	N/E	N/E	N/E	N/E	
3	N/E	N/E	N/E	N/E	

>> The dried film of this product may become a dust nuisance when removed by sanding or grinding. OSHA recommends a PEL/TWA of 15 mg/m3 for total dust and 5 mg/m3 for the respirable fraction. ACGIH recommends a TLV/TWA of 10 mg/m3 for total dust.

>> (SKIN) absorption may contribute to the overall exposure to this material. Take appropriate measures to prevent skin contact. (N/E = not established)

>> None of the components of this product are recognized as carcinogenic.

SECTION 12 ECOLOGICAL INFORMATION ______

CAS# Component

000140-31-8 N-AMINOETHYLPIPERAZINE

Not Harmful to Aquatic Life: Y

May be Harmful to Aquatic: N

061788-44-1 STYRENATED PHENOL

Harmful to Aquatic Life : N Not Harmful to Aquatic Life: N

May be Harmful to Aquatic: Y

000090-72-2 2,4,6-TRI(DIMETHYLAMINOMETHYL)PHENOL

Harmful to Aquatic Life : N

Harmful to Aquatic Life : N Not Harmful to Aquatic Life: Y May be Harmful to Aquatic: N

SECTION 13 DISPOSAL CONSIDERATIONS

WASTE DISPOSAL

WASTE CHARACTERIZATIONS AND COMPLIANCE WITH APPLICABLE LAWS ARE THE SOLE RESPONSIBILITY OF THE END USER. ALL DISPOSAL PRACTICES USED FOR THIS PRODUCT AND ITS CONTAINER(S) MUST BE IN COMPLIANCE WITH ALL FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS. THE INFORMATION PRESENTED IN THIS SDS PERTAINS ONLY TO THE PRODUCT AS SHIPPED.

SECTION 14 TRANSPORTATION INFORMATION

Land Transport

USDOT

Proper shipping name:

PAINT, NOI

NOS Components

Hazard class:

ID-number:

Packing group:

Aquatic Toxicity:

*** SAFETY DATA SHEET *** print date : 04/18/19 E345-B01 (page 6) ______ Sea Transport IMDG Proper shipping name: ENVIROMENTALLY HAZ SUBSTANCE NOS NOS Components : STYRENATED PHENOL Hazard class: ID-number: UN3082 III Packing group: Aquatic Toxicity: YES Air Transport IATA/ICAO Proper shipping name: ENVIROMENTALLY HAZ SUBSTANCE NOS NOS Components : STYRENATED PHENOL Hazard class: ID-number: UN3082 Packing group: Aquatic Toxicity: YES _______ SECTION 15 REGULATORY INFORMATION ______ CAS# Component 000140-31-8 N-AMINOETHYLPIPERAZINE US TSCA Inventory EC : YES Canada Domestic Substance List : YES : YES Philippines : UNKNOWN Japan : YES Korea : UNKNOWN China : UNKNOWN Australia : YES 061788-44-1 STYRENATED PHENOL US TSCA Inventory : YES Canada Domestic Substance List : YES EC : YES : UNKNOWN Philippines : YES Japan : YES Korea China : UNKNOWN Australia : YES ______ 000090-72-2 2,4,6-TRI(DIMETHYLAMINOMETHYL)PHENOL EC : YES Canada Domestic Substance List : YES : YES US TSCA Inventory

Chir	na	: YES	Australia	: YES	
no.	component		CAS#	SARA	
1	N-AMINOETHYLPIPERAZINE		140-31-8	NO	
2	STYRENATED PHENOL		61788-44-1	NO	

90-72-2

: YES

NO

Korea

: YES

: YES

2,4,6-TRI(DIMETHYLAMINOMETHYL)PHENOL

Japan

Philippines

print date	: 04/18/19		E345-B01 (page 7)
SECTION 16		OTHER INFORMATION	
	- H M I S -		
- 1	HEALTH : 3	 	
1	FLAMMABILITY : 1	1	
1	REACTIVITY : 0	1	
1	PERSONAL PROTECT .: X		
		For specialized handling directions)	 NG, DRINKING, SMOKING,
OR USING TO	ILET FACILITIES.		
THE IN	FORMATION CONTAINED HERE:	IN IS BASED ON THE DATA AVAILABLE TO US AND IS BELIEVED TO BE CORREC	I. HOWEVER, WE MAKE
NO WAR	RANTY, EXPRESSED OR IMPL	ED REGARDING THE ACCURACY OF THIS DATA OR THE RESULTS TO BE OBTAINED	D FROM THE USE
THEREO	F. WE ASSUME NO RESPONSI	BILITY FOR INJURY FROM THE USE OF THE PRODUCT DESCRIBED HEREIN.	